

REVOLVED X NG

Surface Mounted 199 W LED High Bay Luminaire



Order Code : 3305862
Product Code : RVX 199U 40CM00 60 27K1 NG

Product Data

Standard Features

Housing	: Aluminium Extrusion
Diffuser	: Tempered transparent glass
Optic	: 60° Lens
IP Grade	: IP65
Installation	: Surface mounted
Light Source	: Mid Power LED
Electronic Control	: On-Off

Optical & Electrical Features


Power Consumption	: 199 W
Final Luminous Flux	: 27100 lm
Efficacy	: 136 lm/W
Input Voltage	: 220-240 V
Frequency	: 50-60 Hz
Power Factor	: > 0,9
Surge Transient Protection	: 1 kV
Correlated Color Temperature	: 4000K
Color Rendering Index	: >80

* There is $\pm 10\%$ Tolerance in Technical Values.

Other Features & Conditions

Operating Temperature Range	: -20 °C/+35 °C
Operating Temperature Range With Emergency Kit	: +5 °C/+35 °C
Impact Resistance	: IK08
Led Life Time - L70	: > 72.000 hours @Ta= 35 °C

Photometric Curve



Optional Features


Correlated Color Temperatures	: 3000K, 5000K, 5700K, 6500K
Emergency Kit Options	: 1, 3 hours
DALI Option	: Yes

REVOLED X NG

Surface Mounted 199 W LED High Bay Luminaire

3305862 RVX 199U 40CM00 60 27K1 NG

Standard Model



Dimension (mm)	a	b	h	h1
Standard	901,5	203	126	75
DALI CG (Double Entry)	901,5	203	126	75
With Emergency Kit (1, 3 hrs.)	901,5	203	126	75
DALI + 1, 3 hours ACK *	901,5	203	126	75

* ECK: Emergency Kit

Weight (kg)


Standard	7,3
DALI CG	7,5
With Emergency Kit (1, 3 hrs.)	7,5
DALI + 1, 3 hours ACK *	7,6



Suspension Set


BUSBAR HANGER SET

3324294 : RVX NG BARA ASKI TK



KYS HANGER SET

3325615 : RVX NG KYS ASKI TK



REVOLED X NG



Surface Mounted 199 W LED High Bay Luminaire

3305862 RVX 199U 40CM00 60 27K1 NG

Suspension Set



CALBE TRAY AND WALL

3324291 : RVX NG TAVA ASKI TK





90° BUSBAR HANGER SET

3305757 : RVX NG 90D BUSBAR ASKI TK





90° KYS HANGING KIT

3305758 : RVX NG 90D KYSBAR ASKI TK



CALBE TRAY AND WALL

3305759 : RVX NG 90D TAVA ASKI TK



- EAE, reserves the right to make changes without prior notice.



EAE Aydınlatma A.Ş.

İkitelli Organize Sanayi Bölgesi Eski Turgut Özal Caddesi No:20 Başakşehir / İSTANBUL-TURKEY Phone: +90 212 413 21 00
(pbx) Fax: +90 212 549 37 90 www.eaeaydinlatma.com.tr

Revision date: 11.10.2023

engineering the light

REVOLED X